




TM - SNR Axis Manufacturing Co.

INA RASEL30-N Unidad De Rodamiento



RASEL30-N Bearing 2D drawings and 3D CAD models

Bearing No. RASEL30-N

| | |
|-------------------------------|-----------------------|
| Bore Diameter | 30 mm |
| d | 30 mm |
| S1 | 22 mm |
| Thread (Q) | Rp1/8 |
| A | 40 mm |
| A1 | 25 mm |
| B | 36,5 mm |
| H | 42,9 mm |
| H1 | 17 mm |
| H2 | 82 mm |
| J | 118 mm |
| L | 158 mm |
| N | 14 mm |
| N1 | 22 mm |
| Weight | 1,1 Kg |
| Basic dynamic load rating (C) | 19,5 kN |
| Category | Pillow Block Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.03 |
| Product Group | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Drive Slot |
| Housing Style | 2 Bolt Pillow Block |
| Rolling Element | Ball Bearing |



TM - SNR Axis Manufacturing Co.

| | |
|-------------------------------|--|
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Expansion |
| Relubricatable | Yes |
| Insert Part Number | GLE30KRRB |
| Seals | Double Land Riding Rubber Contact |
| Housing Configuration | 1 Piece Solid |
| Inch - Metric | Metric |
| Other Features | Single Row Non Locating Bearing |
| Long Description | 2 Bolt Pillow Block; 30MM Bore; 42.9MM Base to Center Height; Drive Slot Mount; Ball Bearing; 108MM Minimum Bolt Spacing; 127MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubb |
| Category | Pillow Block |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | RASEL30N |
| Weight / LBS | 2.867 |
| Base to Center Height | 1.689 Inch 42.9 Millimeter |
| Nominal Bolt Center to Center | 4.6 Inch 118 Millimeter |
| Bolt Spacing Minimum | 4.252 Inch 108Millimeter |
| Bore | 1.181 Inch 30 Millimeter |
| Length Thru Bore | 1.906 Inch 48.42 Millimeter |
| Bolt Spacing Maximum | 5 Inch 127Millimeter |
| Actual Bolt Center to | 0 Inch 0Millimeter |



TM - SNR Axis Manufacturing Co.

| | |
|--------|--|
| Center | |
|--------|--|